



Trichome Analytical
6000 Commerce Parkway Suite I
Mount Laurel, NJ 08054

CERTIFICATE OF ANALYSIS

QA TESTING

(856) 316-0600
<http://www.trichomeanalytical.com>

1 of 5

001C-L03-020526-01

Perfectly Dosed
Lic. #: 1204-660
1757 N Kimball Ave
Chicago, IL 60647

Sample Size: 2 units

Received: 02/06/2026
Completed: 02/11/2026
Sampled by: Client

Sample ID: 260205TRI001.001
Sample Description: 001C-L03-020526-01

Matrix: Concentrates & Extracts

Rev. 0.



Summary

Test	Result
Cannabinoids	Complete
Residual Solvents	Pass
Microbials	Pass
Mycotoxins	Pass
Pesticides	Pass
Heavy Metals	Pass
Foreign Matter	Pass



Cannabinoids

Complete

ND ND Total THC	5.398% 53.98 mg/g Total CBD	ND ND Total CBG	5.398% 53.98 mg/g Total Cannabinoids
-------------------------------------	---	-------------------------------------	--

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/g		%	%	%	mg/g
(6aR,9R)-d10-THC*	0.01077	0.003230	ND	ND	CBL	0.006201	0.02067	ND	ND
9R-HHC*	0.005383	0.01615	ND	ND	CBN	0.006201	0.02067	ND	ND
(6aR,9S)-d10-THC*	0.01077	0.003230	ND	ND	CBT*	0.005383	0.01615	ND	ND
9S-HHC*	0.005383	0.01615	ND	ND	Δ8-THC	0.006201	0.02067	ND	ND
CBC	0.006201	0.02067	ND	ND	Δ8-THCP*	0.005383	0.01615	ND	ND
CBCa	0.01204	0.04014	ND	ND	Δ9-THC	0.006201	0.02067	ND	ND
CBD	0.006201	0.02067	5.398	53.98	Δ9-THC Acetate*	0.005383	0.01615	ND	ND
CBDa	0.006201	0.02067	ND	ND	Δ9-THCH*	0.005383	0.01615	ND	ND
CBDV	0.006201	0.02067	<LOQ	<LOQ	Δ9-THCP*	0.005383	0.01615	ND	ND
CBDVa	0.006201	0.02067	ND	ND	Exo-THC*	0.01077	0.003230	ND	ND
CBG	0.006201	0.02067	ND	ND	THCa	0.006201	0.02067	ND	ND
CBG Diacetate*	0.005383	0.01615	ND	ND	THCV	0.006201	0.02067	ND	ND
CBGa	0.006201	0.02067	ND	ND	THCVa	0.006201	0.02067	ND	ND

Date Analyzed: 02/06/2026

SOP.102, AOAC 2018.11 (Modified); UHPLC-PDA. Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total CBG = CBGa * 0.878 + CBG.



ISO/IEC 17025:2017 A2LA
CERT# 5913.01 // DEA#
RT0581098 // NJ HEMP#
34_00077

Kristen Goedde
Quality Manager

Tom Barkley
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with 902 KAR 45:190 issued by the State of Kentucky. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.



Trichome Analytical
6000 Commerce Parkway Suite I
Mount Laurel, NJ 08054

CERTIFICATE OF ANALYSIS

QA TESTING

(856) 316-0600

http://www.trichomeanalytical.com

2 of 5

001C-L03-020526-01

Perfectly Dosed
Lic. #: 1204-660
1757 N Kimball Ave
Chicago, IL 60647

Sample Size: 2 units

Received: 02/06/2026
Completed: 02/11/2026
Sampled by: Client

Sample ID: 260205TRI001.001
Sample Description: 001C-L03-020526-01

Matrix: Concentrates & Extracts

Rev. 0.

Microbials

Pass

Analyte	LOD	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Total Yeast & Mold Count	10	100000	<10	Pass
Total Aerobic Bacteria Count	10		<10	Tested
Total Enterobacteriaceae (BTGN) Count	10		<10	Tested
Total Coliform Count	10		<10	Tested
Total Escherichia coli (E. coli) Count	1	100	<1	Pass
Shiga-toxin producing Escherichia coli (STEC)	1	Detected in 1g	Not Detected	Pass
Salmonella spp.	1	Detected in 1g	Not Detected	Pass
Listeria SPP	1	Detected in 1g	Not Detected	Pass
Aspergillus spp. (A. fumigatus, A. flavus, A. niger, A. terreus)	1	Detected in 1g	Not Detected	Pass

Date Analyzed: 02/10/2026
Pathogens: SOP.606, SOP.607; qPCR. Quality Indicators: SOP.605; MPN.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Aflatoxin B1	0.000846	0.00282		ND	Tested
Aflatoxin B2	0.000846	0.00282		ND	Tested
Aflatoxin G1	0.000846	0.00282		ND	Tested
Aflatoxin G2	0.000846	0.00282		ND	Tested
Total Aflatoxins			0.02	ND	Pass
Ochratoxin A	0.00338	0.0113	0.02	ND	Pass

Date Analyzed: 02/10/2026
SOP.402; LC-MS/MS.

Foreign Matter

Pass

Date Analyzed: 02/06/2026

SOP.706; Microscopy. Screened for: mold, combustion by-products, cinders, sand, soil, dirt, hair, insect parts, rodent feces, and other foreign material. Pass/fail criteria determined by the laboratory based on the limit of detection of the method, which is as follows: 1% by weight, 10% visual area estimation, 1 foreign material particulate such as insect parts, hair, etc. per 3 grams of material.



ISO/IEC 17025:2017 A2LA
CERT# 5913.01 // DEA#
RT0581098 // NJ HEMP#
34_00077

Kristen Goedde
Quality Manager

Tom Barkley
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with 902 KAR 45:190 issued by the State of Kentucky. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.



Trichome Analytical
6000 Commerce Parkway Suite I
Mount Laurel, NJ 08054

CERTIFICATE OF ANALYSIS

QA TESTING

(856) 316-0600
<http://www.trichomeanalytical.com>

3 of 5

001C-L03-020526-01

Perfectly Dosed
Lic. #: 1204-660
1757 N Kimball Ave
Chicago, IL 60647

Sample Size: 2 units

Received: 02/06/2026
Completed: 02/11/2026
Sampled by: Client

Sample ID: 260205TRI001.001
Sample Description: 001C-L03-020526-01

Matrix: Concentrates & Extracts

Rev. 0.

Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
1,1- Dichloroethene	0.0384	0.115		ND	Tested
1,2-Dichloroethane	0.153	0.460		ND	Tested
Acetone	15.3	46.0	1000	ND	Pass
Acetonitrile	15.3	46.0		ND	Tested
Benzene	0.0384	0.115	2	ND	Pass
Butane	15.3	46.0	1000	ND	Pass
Chloroform	0.0384	0.115		ND	Tested
Ethanol	15.3	46.0	5000	<LOQ	Pass
Ethyl acetate	15.3	46.0	1000	ND	Pass
Ethyl ether	15.3	46.0		ND	Tested
Ethylene oxide	0.153	0.460		ND	Tested
Heptane	15.3	46.0	1000	ND	Pass
n-Hexane	7.67	23.0	60	ND	Pass
Isopropyl alcohol	15.3	46.0	1000	ND	Pass
Methanol	30.7	92.1	600	ND	Pass
Methylene chloride	0.0767	0.230		ND	Tested
Pentane	3.84	11.5	1000	ND	Pass
Propane	7.67	23.0	1000	ND	Pass
Toluene	7.67	23.0	180	ND	Pass
Trichloroethylene	0.0384	0.115		ND	Tested
Xylenes	7.67	23.0	430	ND	Pass

Date Analyzed: 02/09/2026
SOP:204; HS-GC-MS.



ISO/IEC 17025:2017 A2LA
CERT# 5913.01 // DEA#
RT0581098 // NJ HEMP#
34_00077

Kristen Goedde
Quality Manager

Tom Barkley
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with 902 KAR 45:190 issued by the State of Kentucky. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.



Trichome Analytical
6000 Commerce Parkway Suite I
Mount Laurel, NJ 08054

CERTIFICATE OF ANALYSIS

QA TESTING

(856) 316-0600
http://www.trichomeanalytical.com

4 of 5

001C-L03-020526-01

Perfectly Dosed
Lic. #: 1204-660
1757 N Kimball Ave
Chicago, IL 60647

Sample Size: 2 units

Received: 02/06/2026
Completed: 02/11/2026
Sampled by: Client

Sample ID: 260205TRI001.001
Sample Description: 001C-L03-020526-01

Matrix: Concentrates & Extracts

Rev. 0.

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0106	0.0352	0.5	ND	Pass	Fludioxonil	0.0106	0.0352	0.4	ND	Pass
Acephate	0.0106	0.0352	0.4	ND	Pass	Hexythiazox	0.0106	0.0352	1	ND	Pass
Acequinocyl	0.0106	0.0352	2	ND	Pass	Imazalil	0.0106	0.0352	0.2	ND	Pass
Acetamiprid	0.0106	0.0352	0.2	ND	Pass	Imidacloprid	0.0106	0.0352	0.4	ND	Pass
Aldicarb	0.0106	0.0352	0.4	ND	Pass	Kresoxim Methyl	0.0106	0.0352	0.4	ND	Pass
Azoxystrobin	0.0106	0.0352	0.2	ND	Pass	Malathion	0.0106	0.0352	0.2	ND	Pass
Bifenazate	0.0106	0.0352	0.2	ND	Pass	Metalaxyl	0.0106	0.0352	0.2	ND	Pass
Bifenthrin	0.0106	0.0352	0.2	ND	Pass	Methiocarb	0.0106	0.0352	0.2	ND	Pass
Boscalid	0.0106	0.0352	0.4	ND	Pass	Methomyl	0.0106	0.0352	0.4	ND	Pass
Captan	0.0846	0.282		ND	Tested	Mevinphos	0.0106	0.0352		ND	Tested
Carbaryl	0.0106	0.0352	0.2	ND	Pass	MGK-264	0.0211	0.0705		ND	Tested
Carbofuran	0.0106	0.0352	0.2	ND	Pass	Myclobutanil	0.0106	0.0352	0.2	ND	Pass
Chlorantraniliprole	0.0106	0.0352	0.2	ND	Pass	Naled	0.0106	0.0352	0.5	ND	Pass
Chlordane	0.0106	0.0352		ND	Tested	Oxamyl	0.0106	0.0352	1	ND	Pass
Chlorfenapyr	0.0106	0.0352	1	ND	Pass	Pacllobutrazol	0.0106	0.0352	0.4	ND	Pass
Chlormequat chloride	0.0106	0.0352	0.2	ND	Pass	Parathion Methyl	0.0106	0.0352	0.2	ND	Pass
Chlorpyrifos	0.0106	0.0352	0.2	ND	Pass	Pentachloronitrobenzene	0.0106	0.0352		ND	Tested
Clofentezine	0.0106	0.0352	0.2	ND	Pass	Permethrins	0.0106	0.0352	0.2	ND	Pass
Coumaphos	0.0106	0.0352		ND	Tested	Phosmet	0.0106	0.0352	0.2	ND	Pass
Cyfluthrin	0.0106	0.0352	1	ND	Pass	Piperonyl Butoxide	0.0106	0.0352	2	ND	Pass
Cypermethrin	0.0211	0.0705	1	ND	Pass	Prallethrin	0.0423	0.0352	0.2	ND	Pass
Daminozide	0.0106	0.0352	1	ND	Pass	Propiconazole	0.0106	0.0352	0.4	ND	Pass
Diazinon	0.0106	0.0352	0.2	ND	Pass	Propoxur	0.0106	0.0352	0.2	ND	Pass
Dichlorvos	0.0106	0.0352	0.1	ND	Pass	Pyrethrins	0.0423	0.141	1	ND	Pass
Dimethoate	0.0106	0.0352	0.2	ND	Pass	Pyridaben	0.0106	0.0352	0.2	ND	Pass
Dimethomorph	0.0106	0.0352		ND	Tested	Spinetoram	0.0106	0.0352		ND	Tested
Ethoprophos	0.0106	0.0352	0.2	ND	Pass	Spinosad	0.0106	0.0352	0.2	ND	Pass
Etofenprox	0.0106	0.0352	0.4	ND	Pass	Spiromesifen	0.0106	0.0352	0.2	ND	Pass
Etoxazole	0.0106	0.0352	0.2	ND	Pass	Spirotetramat	0.0106	0.0352	0.2	ND	Pass
Fenhexamid	0.0106	0.0352		ND	Tested	Spiroxamine	0.0106	0.0352	0.4	ND	Pass
Fenoxycarb	0.0106	0.0352	0.2	ND	Pass	Tebuconazole	0.0106	0.0352	0.4	ND	Pass
Fenpyroximate	0.0106	0.0352	0.4	ND	Pass	Thiacloprid	0.0106	0.0352	0.2	ND	Pass
Fipronil	0.0106	0.0352	0.4	ND	Pass	Thiamethoxam	0.0106	0.0352	0.2	ND	Pass
Flonicamid	0.0106	0.0352	1	ND	Pass	Trifloxystrobin	0.0106	0.0352	0.2	ND	Pass

Date Tested: 02/11/2026
SOP.402; LC-MS/MS & SOP.302; GC-MS



ISO/IEC 17025:2017 A2LA
CERT# 5913.01 // DEA#
RT0581098 // NJ HEMP#
34_00077

Kristen Goedde
Quality Manager

Tom Barkley
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with 902 KAR 45:190 issued by the State of Kentucky. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.



Trichome Analytical
6000 Commerce Parkway Suite I
Mount Laurel, NJ 08054

CERTIFICATE OF ANALYSIS

QA TESTING

(856) 316-0600
<http://www.trichomeanalytical.com>

5 of 5

001C-L03-020526-01

Perfectly Dosed
Lic. #: 1204-660
1757 N Kimball Ave
Chicago, IL 60647

Sample Size: 2 units

Received: 02/06/2026
Completed: 02/11/2026
Sampled by: Client

Sample ID: 260205TRI001.001
Sample Description: 001C-L03-020526-01

Matrix: Concentrates & Extracts

Rev. 0.

Elemental

Pass

Heavy Metals

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.00651	0.0482	0.2	ND	Pass
Cadmium	0.000512	0.0241	0.2	ND	Pass
Lead	0.00609	0.0241	0.5	ND	Pass
Mercury	0.00276	0.00722	0.1	ND	Pass
Chromium	0.0259	0.0722		ND	Tested
Nickel	0.0266	0.0722		ND	Tested
Antimony	0.00805	0.0241		ND	Tested
Selenium	0.0126	0.0963		ND	Tested

Nutrients

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Copper	0.103	0.489		ND	Tested
Iron	1.67	5.00		ND	Tested
Manganese	0.0155	0.489		<LOQ	Tested
Zinc	1.67	5.00		ND	Tested

Date Analyzed: 02/10/2026
SOP 502; ICPMS.



ISO/IEC 17025:2017 A2LA
CERT# 5913.01 // DEA#
RT0581098 // NJ HEMP#
34_00077

Kristen Goedde
Quality Manager

Tom Barkley
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with 902 KAR 45:190 issued by the State of Kentucky. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.